# 













# 

## 

- $\cdot$ 1. בסססם בססססם בססססם בסססס בססססם בסססס בסססס בסססס בסססס בססססס בססססס בססססס בססססס בססססס  $\cdot$ 1.
- $^{\circ}$ .  $^{\circ}$
- $. \Box \Box \Box \Box \Box \Box \Box \Box \Box$
- .4

# 

Model	JYT-160C	JYT-210C	JYT-260C	JYT-320C
Filling range	5~300ml	50-1000ML	200-2000ML	500-3000ML
Packaging speed	20-60 bags/min	20-60 bags/min	10-60 bags/min	10-50 bags/min
Bag length	100~210mm	110*330mm	150*400mm	150*500mm
Bag width	80~160mm	90*210mm	150*260mm	200*320mm
Machine size	1700*1050*1100mm	2150*1350*1300mm	2450*1200*1200mm	2800*1200*1200mm
Air consumption	0.35m³	0.5m³	0.7m³	0.7m³
Applicable bag type	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special- shaped bag	Three-side seal, four side seal, back seal, Stand-up bag, M- shaped bag, special shaped bag
Machine weight	600kg	900kg	1100kg	1500kg
Machine power	220/380V.50H Z 2.5KW	220/380V,50HZ,3.5KW	220/380V,50HZ,3.5KW	220/380V.50Hz 3.5KV

### 

# 

## 

#### **Q1.Are**

A1: NOT ADDADO ADDADO ADDADO ADDADO ADDADO ADDA ADDADO ADDA ADDADO ADDA ADDADO ADADADO ADDADO ADDADO ADDADO ADDADO ADDADADO ADDADO ADDADO ADDADO A

#### $\mathbf{Q2.}$ 00000000 0000 000 000

#### **Q3.** 000000 00 0000

#### **Q4.How**

#### 0.5 0. 0.0000 0.0000 0.0000 0.0000

#### **Q6.Can** 000 00000 00000 00000