



PRODUCT PARAMETER



Model	DS-260LSS
Packaging speed	20~60bags/min
Bag length	40~200mm
Bag width	50~130mm
Machine size	1217*1015*1343mm
Machine weight	350kg
Machine power	220V,50HZ, 1.2KVA

VARIOUS STYLES OF PACKAGING

Bagging equipment shall be replaced according to the specific requirements of customers and products.



SCENE DISPLAY





MACHINE DETAILS



Vibrating disk device

A variety of material products can be packaged by using the positioning metering device tray.

Moving membrane

Suitable for simple installation of various roll film materials.



Vibration disk amplitude

Can better control the operating range and make the machine smoother.

Control panel

Optional screen display in other English languages, easy to operate.



條款

- 1 條款 - 條款
- 2 條款 - 條款
- 3 條款 - 條款
- 4 條款 - 條款
- 5 條款 - 條款
- 6 條款 - 條款

條款

條款	JYT-260LS
條款	30*60/
條款	40*200mm
條款	50*130mm
條款	1100*755*1540mm(****)
條款	300kg
條款	220V*50/60HZ*1.2KVA

條款

100% T/T*Ali-pay 70% L/C 條款

Company profile



JYT 公司是一家专业从事研发、生产、销售、服务于一体的企业。公司拥有一流的生产设备和专业的技术团队，为客户提供高品质的产品和服务。公司通过了ISO9001质量管理体系认证，并获得了CE认证。



EXHIBITION RECORD



OUR CUSTOMERS





OUR ADVANTAGE

On-site installation,
commissioning and training



High automation, simple
operation and labor saving



High automation, simple
operation and labor saving



Life long technical
service support

AFTER-SALES SERVICE



PACKAGING SHIPPING



Ex-work FCA FOB CNF CIF DHL UPS FedEx TNT EMS

Q1.

A1:

Q2.

A2: QC 1

Q3.

A3:

Q4.

A4:

Q5.

A5:

Q6.

A6: