


SPOUT BAG FILLING MACHINE

SAMPLE



■■■■

Professional team to provide customers with machine customization services



Page 10 of 10



Air compressor



Nitrogen Generator



Storage Barrel

1111

1.

2. 物料在料斗中堆积高度不超过1.5m
3. 物料在料斗中堆积高度不超过1.5m
4. 物料在料斗中堆积高度不超过1.5m
5. 物料在料斗中堆积高度不超过1.5m
6. 物料在料斗中堆积高度不超过1.5m
7. 物料在料斗中堆积高度不超过1.5m
8. 物料在料斗中堆积高度不超过1.5m

产量	3000-9000Bags/hour
料斗容量	60-300ml
料斗尺寸	≤120mm×w×260mm×l
料斗重量	3400kg* 3900kg* 2100kg
电压	380V/50/60Hz
压力	0.5-0.7MPa
重量	3050kg



物料在料斗中堆积高度不超过1.5m

物料在料斗中堆积高度不超过1.5m

SHOW DETAILS

Strict quality control system, the quality of the machine is stable and reliable





1. Set a strategy



2. Design drawings



3. Machine production



4. Quality Inspection



5. Factory acceptance



6. Packaged and shipped

Professional engineers provide technical support to customers.



ABOUT US

We have more than **120** professional staff



JYT MACHINERY

PACKAGING EQUIPMENT MANUFACTURER

- **9** years of brand
- **20** technical team
- **4510m²** production plant
- **80** machine models for choice



Foshan Jayant Packaging Machinery Co., Ltd. is a professional manufacturer of various packaging machinery, including automatic weighing and filling machines, automatic bagging machines, and automatic packaging machines. We have a complete set of production equipment and a professional technical team. Our products are widely used in various industries, such as food, medicine, and chemicals. We have a good reputation in the market and a large number of customers. We are committed to providing high-quality products and services to our customers.

WORKSHOP

We have **4510m²** standardized production workshop



OUR CLIENT

Our customers are located in more than 50 countries and regions around the world



Argentina



Egypt



Saudi



Uganda




Panama



USA

With numerous domestic service technicians and engineers



SHIPPED

Strict packaging and delivery process

Strict packaging and delivery process



Clean and film up after adjustment



Pack in wooden case



Loading and deliver

□ □ □ □ □ □

Q1. A1.

Q2. 下列何者為 A2 型鋼筋之特點？
 1. 鋼筋之直徑為 10mm 以上，且為 16mm 以下。
 2. 鋼筋之直徑為 10mm 以上，且為 20mm 以下。
 3. 鋼筋之直徑為 10mm 以上，且為 25mm 以下。
 4. 鋼筋之直徑為 10mm 以上，且為 32mm 以下。

Q3. A3

Q4. A4

Q5. A5

Q6 A6 5 10 15 30