□□□□□□□□□□□□□□□□□□□□

□□□□□

Vibrating disk device

A variety of material products can be packaged by using the positioning metering device tray.

Moving membrane

Suitable for simple installation of various roll film materials.

Vibration disk amplitude
Can better control the operating range and make the machine smoother.
Control panel
Optional screen display in other English languages, easy to operate.
主 页
总产量
201
清零
包装速度
0
P/M
当前定量
0
P
包装定量
1
P
下料
总开关
开启
包装袋长
60
mm
拉袋速度
4
1#下料个数
2
个
2#下料个数
2
个
3#下料个数
2
个
4#下料个数
1
个
参数设置
手动页面
功能选择
FLEXEM

□□□□□□

[illegible]

1 [illegible] - [illegible]

2 [illegible] - [illegible]

3 [illegible] - [illegible]

4 [illegible] - [illegible]

5 [illegible] - [illegible]

6 [illegible] - [illegible]

□□□□□

□□□	JYT-260LS
□□□□	30□60□/□
□□□□□□	40□200mm
□□	50□130mm
□□□	1100*755*1540mm(□□*□*□□)
□□	300kg
□	220V□50/60HZ□1.2KVA

□□□

100% T/T□Ali-pay□□□□ 70% L/C □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Foshan Jiayite Packaging Machinery Co., Ltd.□□□/□□□

□□□□□□□□□□□□□□□ISO9001□□□□□□□□□□□□□□□□□□□□□□□□□CE□□□□□□□□□□

EXHIBITION RECORD



Our Customers

Our Advantage

On-site installation, commissioning and training

Specially customized based on actual situation

High automation, simple operation and labor saving

Life long technical service support

AFTER-SALES SERVICE

PACKAGING SHIPPING

□□□□□□□□□□□□□□□□□□□□□□Ex-work□FCA□FOB□CNF□CIF□□□□□□□DHL□UPS□FedEx□TNT□EMS□□□□□□□□□□□□□□

□□□□□

Q1.□□□□□□□□

A1: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q2.□□□□□□□□□□□□

A2: □□□□□□□ QC □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ 1 □□□□□□□□□□

Q3.□□□□□□□□□

A3: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□.

Q4.□□□□□□

A4: □□□

Q5.□□□□□□□□□□ □□□□ □ □□□ □□□□

A5: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q6.□□□□□□□□□□□□

A6: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□