[illegible]

龙头

S700
115S

50


1400
1100
1550



□□□□

□□□

□□□□□

□□□□□□□□□□□□□□PLC□□□

□□□□□

□□□□	JYT-BKH070
□□□□□□□□□□□:	A:L80-200 * W80-160 * H15-50mm B:L80-200 * W25-80 * 15-50mm (□□□□□□□□□□□□□□)
□□□□□□□:	300 g/m2 ≤ □□□□□:350 g/m2 ≤ 450 g/m2
□□□□:	□□□□□□0.4mm□□□□□□□□□□□□□□□□□□□□□
□□□□□	60□70□/□ 90□120□/□
□□□:	1.5KW
□□□□□:	□L1550*W1000*H1400mm
□□□□□:	□0.6T

□□□

100% T/T□Ali-pay□70% L/C □□□□□□□□□□□□□□□□□□□□□□

Company profile

[illegible] JYT [illegible]/[illegible]ISO9001[illegible]CE[illegible]

EXHIBITION RECORD

OUR CUSTOMERS

OUR ADVANTAGE

On-site installation, commissioning and training

High automation, simple operation and labor saving

High automation, simple operation and labor saving

Life long technical service support

AFTER-SALES SERVICE

PACKAGING SHIPPING

[illegible]Ex-work[illegible]FCA[illegible]FOB[illegible]CNF[illegible]CIF[illegible]DHL[illegible]UPS[illegible]FedEx[illegible]TNT[illegible]EMS[illegible]

[illegible]

Q1.[illegible]

A1: [illegible]

Q2.[illegible]

A2: [illegible] QC [illegible] [illegible] 1 [illegible]

Q3.[illegible]

A3: [illegible]

Q4.[illegible]

A4: [illegible]

Q5.[illegible] [illegible] [illegible] [illegible] [illegible]

A5: [illegible]

Q6.[illegible]

A6: [illegible]