

111 11 1111 111 1 1111 11 11 11 11 11 11

**PROFESSIONAL
PACKAGING SOLUTIONS**

JYT AUTOMATION EQUIPMENT




SPOUT BAG FILLING MACHINE

SAMPLE



INTRODUCTION

Professional team to provide customers with machine customization services



OPTIONAL EQUIPMENT



Air compressor



Nitrogen Generator



Storage Barrel

1. 2. 3. 4.

[illegible]

□□ □□	3000-9000bags/□□
□□ □□	60-300ml (□□□ □□ □□)
□□ □□	120mm(W)x260mm(L) □□
□□ □□	3400(□□)*3900(□)* 2100(□□)mm
□	380V, 50/60Hz
□□ □□□	0.5-0.7Mpa
□□ □□	3050kg



PLC, 100%, 100% 100% 100% 100% 100% 100%. 100% 100% 100% 100% 100% 100%.

SHOW DETAILS

Strict quality control system, the quality of the machine is stable and reliable





□□□ □□

□□ □□ □□ □□ □□ □□ □
□□ □ □□ □□

CN54,466.50 -
55,918.94 / □□

1 □□

□□ □□ □□□ □□ □□

CN119,100.08 -
140,886.68 / □□

1 □□

□□ □□ **5g 10g** □ □□□ □□□ □
□ □ □□ □ □□ □□

CN22,149.71 -
CN27,233.25 / □□

1 00

□□ □□ □□ □ □□□□□ □□ □ □□
□□□ □□□

CN 41,031.43 -
CN 56,282.05 / 00

CN 56,282.05 / 00

100

[illegible]



1. Set a strategy



2. Design drawings



3. Machine production



4. Quality Inspection



5. Factory acceptance



6. Packaged and shipped

Professional engineers provide technical support to customers.



11



PACKAGING EQUIPMENT MANUFACTURER

- **9** years of brand
- **20** technical team
- **4510m²** production plant
- **80** machine models for choice



Foshan Jayant Packaging Machinery Co., Ltd. 係一間在香港註冊的有限公司，其董事及高級管理人員均為中國公民。本公司之總辦事處設於中國廣東省佛山市順德區勒流街道新豐村廣興街1號，而本公司之主要營業地點則設於香港。本公司之法律顧問為香港律師樓。


WORKSHOP

We have **4510m²** standardized production workshop



OUR CLIENT

Our customers are located in more than 50 countries and regions around the world



Argentina



Egypt



Saudi



Uganda




Panama



USA

With numerous domestic service technicians and engineers



SHIPPED

Strict packaging and delivery process



Clean and film up after adjustment



Pack in wooden case



Loading and deliver

FAQ

- Q1. 如何安裝？ A1: 請參閱說明書，我們提供詳細的安裝指南，確保您能正確安裝設備。
- Q2. 如何調整？ A2: 設備配備了QC系統，您可以通過調整面板上的按鈕和旋鈕來進行調整。
- Q3. 如何保養？ A3: 我們建議定期清潔設備，並檢查潤滑油水平，以確保設備的正常運行。
- Q4. 如何更換零件？ A4: 我們提供各種更換零件，您可以通過我們的客戶服務部門進行訂購。
- Q5. 如何聯繫客戶服務？ A5: 您可以通过電話、電子郵件或我們的客戶服務中心進行聯繫。
- Q6. 設備的保修期是多久？ A6: 我們的設備享有5-10年的保修期，具體取決於設備的型號和使用情況。