

Easy to Operate Multi-function Back Sealing Bag Plastic Knife and Fork Packaging Machine

Product Detail



Product Sample

Sample display



snack



bread




cake



fondant



food



Our Company



Foshan Jiayite Packaging Machinery Co., Ltd. is a professional and reliable manufacturer of bottle filling machine, capping machine, labeling machine and pouch packing machine. We are providing quality packing solutions for bottle filling and packing in the industries of home care and personal care, foodstuff, agrochemical, chemical and lubricate oil for liquids, cream/ointment, fluid and half-fluid, powders, and granules products. With years experience and development, We have Obtained ISO9001 quality management system authentication and parts of our products have passed CE mauthentication.



Our Advantage •

On-site installation,
commissioning and training

Specially customized
based on actual situation



High automation, simple
operation and labor saving

Life long technical
service support

Product Description

Automatic suns packing plant requires you to only feed the cans,caps with tobacco, white

snus,CBD,nicotine powder etc. The entire packing line is operated with the help of the following components.

The Snus packing line begins at the cap sorting unit, and it is designed to feed the caps along with a vertical layout. These caps are then transferred to the cap conveyor, which is connected to the Snus packing machine.

The snus packaging machine inserts the tobacco snus,white nicotine powder, CBD inside pouches according to the weight settings,and these pouches are packed inside cans.

An indexing table is used to input a defined number of pouches within each can. After the can is illed with pouches, the conveyor belt transfers it to the cap closing unit, where all the cans from multiple Snus packing machines are capped. Thus this section equals to a setup of automatic pouch packaging machines.

Next, they are sent to the labelling machines, which wrap the sealed cans with your brand labels, dates, and other information. Thus, at the end of the packaging line, you will get the finished product that is ready to be shipped.

Product specification

Model	JYT-250X
Film Width	Max 250mm
Bag length and width	L:45~190mm or 90-330mm; W:30-110mm
Product height	Max 40/70mm
Packing speed	40-230bags/min
Motor Power	220V,60 HZ,2.4KW
Machine Size	3920*670*1320mm
Machine Weight	420KG

Payment

You can pay by 100% T/T, Ali-pay, 70% L/C at sight would be available for qualified bank.

Logistics

It can be shipped by terms of Ex-work, FCA,FOB,CNF,CIF by sea or by air DHL, UPS, FedEx, TNT, EMS etc[]based on the buyer's forwarder or ours.



NO
AM

AUSTRAL

— OUR CUSTOMERS —



EXHIBITION RECORD



FAQ

Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own brand and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I send samples to you testing?

A5: Yes! You are welcome to send us your products to test by our machine.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.

Q7□What maintenance does the machine need?

A7□Naturally, to avoid machine problems, it is necessary to clean the machinery at the end of the production cycle.

Q8: How long does it take to change a film bobbin?

A8: The first times, when you are not already accomplished with the machine, it can take 5 or 6 minutes to change the film bobbin. After, when you have learned how to do it, it takes 1 and a half minute.