

Heavy Duty Uniform Automatic Carton Case Sealer Closing Sealing Machine Tape Sealer For Food Industry



- *In-line carton closure. *Adjustable bed height from 630-700mm.
- *Operator free design, and just need to put product in carton.
- *Height/width adjustments on either side of machine
- *Designed for uniform carton applications *Capable of Interchanging 2" or 3" Tape Heads



Product Advantages

Automatic case sealing machine with adhesive tape will extremely speed up the packing process of boxes and cartons and other packages. the automatic case sealing machine automates the process of gluing the tape to the top and bottom of the box.the productivity of the packaging increases, the number of packed boxes per minute usually increases by several times. An automatic carton closing sealer machine with adhesive tape is easy to use and can be operated by a person without prior professional training. it is suitable for adhesive tapes of width from 48mm to 75mm and for boxes or packages of the length of between 200 and 600mm, width between 150 and 500mm, and height between 150 and 500mm.

Product Parameters

Model	XC-AT5050
Automatic close upper flaps	Yes
Tape sealing	Only carton top or top&bottom at same time
Suitable for carton size range	L200-600*W150-500*H150-500mm
Table height	610-810mm adjust
Conveyor speed	20m/min
Voltage	110V-240V 1Phase 400W 50-60Hz
Air pressure	0.4-0.6Mpa
Machine size	L1780*W930*H1600mm
Machine weight	250kg
Optional	Safety gate, SS304 stainless steel, Hot melt glue system



5

STAINLESS STEEL VERSION

THE MACHINE ALSO CAN MAKE BY
304 STAINLESS STEEL THAT WILL
USE IN THE FOOD INDUSTRY.

SAFETY GATE

THE MACHINE CAN DESIGN
WITH SAFETY GATE. WHEN THE
GATE HAS BEEN OPENED THEN
MACHINE WILL STOP
OPERATION UNTIL IT CLOSE

6





1

FOLD UPPER FLAPS

AUTOMATIC CLOSE
UPPER FLAPS

ELECTRIC CONTROL BOX

VOLTAGE AC110-240V 1PHASE
AVAILABLE,ENGLISH CONTROL
PANEL EASY TO OPERATION


2



DRIVE BELT

SIDE BELT DRIVE,SMOOTH
TRANSPORTATION OF
CARTON BOX.

3



TAPE HEAD

WIDE 3INCHES OR 2INCHES
SELECTABLE.IT ALSO CAN USE
LARGE ROLL OF ADHESIVE
TAPE(1000M/ROLL).

4



Payment

You can pay by 100% T/T, Ali-pay, 70% L/C at sight would be available for qualified bank.




About us



Foshan Jiayite Packaging Machinery Co., Ltd. is a professional and reliable manufacturer of bottle filling machine, capping machine, labeling machine and pouch packing machine . We are providing quality packing solutions for bottle filling and packing in the industries of home care and personal care , foodstuff, agrochemical , chemical and lubricate oil for liquids, cream/ointment, fluid and half-fluid, powders, and granules products.

With years experience and development, We have Obtained ISO9001 quality management system authentication and parts of our products have passed CE authentication.

EXHIBITION RECORD



Our Customers



Our Advantage •

On-site installation,
commissioning and training

Specially customized
based on actual situation



High automation, simple
operation and labor saving

Life long technical
service support

AFTER-SALES SERVICE



PACKAGING SHIPPING



It can be shipped by terms of Ex-work, FCA,FOB,CNF,CIF by sea or by air DHL, UPS, FedEx, TNT, EMS etc based on the buyer's forwarder or ours.

FAQ

Q1.Are you a manufacturer?

A1:Yes, we are an experienced manufacturer with our own brand and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I send samples to you testing?

A5: Yes! You are welcome to send us your products to test by our machine.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.