

## Product sample



## Product Description

Pouch Type: All type of heat sealable preformed side seal bags, gusseted bags, block bottom bags, zip-lock recloseable bags, stand-up pouch with or without spout etc.

## Product advantages

1. **Nuts packing machine factory**, The metering and packaging system consists of a horizontal bag-feeding packaging machine and a blanking system.
2. It is convenient and simple to put the bag in the bag slot, and it is equipped with an automatic bag pressing device.
3. Equipped with imported pressure sensing device to achieve the effect of no cutting and no sealing, saving packaging bags.
4. Adopt color touch screen, simple operation and multi-functional design.
5. The machine adopts the appearance of stainless 304L, and the carbon steel frame part and some accessories are processed with acid-resistant and salt-resistant anti-corrosion treatment layer.
6. Material selection requirements: Most of the accessories are produced by moulding, and the main materials are 304 stainless and alumina.
7. Various coding device, exhaust and punching systems can be selected.

## Product specification

<b>Model</b>	JYT-160A	JYT-210A	JYT-260A	JYT-320A
<b>Filling range</b>	5~300ml	50-1000ML	200-2000ML	500-3000ML
<b>Packaging speed</b>	20-60 bags/min	20-60 bags/min	10-60 bags/min	10-50 bags/min
<b>Bag length</b>	100~210mm	110*330mm	150*400mm	150*500mm
<b>Bag width</b>	80~160mm	90*210mm	150*260mm	200*320mm
<b>Machine size</b>	1700*1050*1100mm	2150*1350*1300mm	2450*1200*1200mm	2800*1200*1200mm
<b>Air consumption</b>	0.35m <sup>3</sup>	0.5m <sup>3</sup>	0.7m <sup>3</sup>	0.7m <sup>3</sup>
<b>Applicable bag type</b>	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag	Three-side seal, four-side seal, back seal, Stand-up bag, M-shaped bag, special-shaped bag
<b>Machine weight</b>	600kg	900kg	1100kg	1500kg
<b>Machine power</b>	220/380V.50HZ 乙 2.5KW	220/380V,50HZ,3.5KW	220/380V,50HZ,3.5KW	220/380V.50HZ 3.5KW

## Payment

You can pay by 100% T/T, Ali-pay, 70% L/C at sight would be available for qualified bank.

## Logistics

It can be shipped by terms of Ex-work, FCA,FOB,CNF,CIF by sea or by air DHL, UPS, FedEx, TNT, EMS etc based on the buyer's forwarder or ours.

## FAQ

### Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own brand and production lines.

### Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

### Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

### Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

### Q5.May I send samples to you testing?

A5: Yes! You are welcome to send us your products to test by our machine.

### Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.